

# Laboratory Test Updates

**(effective on January 19, 2026)**

	<b>Test Code</b>	<b>Test Name</b>	<b>Name Change</b>	<b>Methodology</b>	<b>Performed/Reported Schedule</b>	<b>Specimen Requirements</b>	<b>Reference Interval</b>	<b>New Tests</b>	<b>Additional Information</b>	<b>Internalized Tests</b>	<b>Reactivated Tests</b>	<b>Inactive</b>
<b>1</b>	C8276002	Galactose, Urine (24 hours)										<b>X</b>
<b>2</b>	C8233001	Calcium (Ca), Ionized										<b>X</b>
<b>3</b>	C8666810	Bcl-2 Panel							<b>X</b>			
<b>4</b>	C8730103	Adenovirus Antigen, Respiratory Specimen							<b>X</b>			
<b>5</b>	C8742001	Respiratory Syncytial Virus (RSV) Antigen							<b>X</b>			

2	<p><b>Calcium (Ca), Ionized</b> Test Code : <b>8233001</b> - Laboratory Services</p> <p>Methodology : <b>PHOTOMETRY</b> - Performed : <b>Mon-Sat 12:00</b> - Reported : <b>Mon-Sat 18:00</b></p> <table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>Serum</td><td>Ionized Ca</td><td>1ml</td><td>2-8°C</td></tr> </tbody> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Serum	Ionized Ca	1ml	2-8°C
Specimen Type	Collection Container/Tube	Specimen Volume	Transport						
Serum	Ionized Ca	1ml	2-8°C						

3	<p><b>Bcl-2 Panel</b> Test Code : <b>8666810</b> - Laboratory Services</p> <p>Methodology : <b>FLOW CYTOMETRY</b> - Performed : <b>Mon-Fri 08:00</b> - Reported : <b>4 days</b></p> <table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>Bone Marrow</td><td>Lavender top (EDTA)</td><td>5mL</td><td>18-24°C</td></tr> <tr> <td>Whole Blood (EDTA)</td><td>Lavender top (EDTA)</td><td>5mL</td><td>18-24°C</td></tr> </tbody> </table>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Bone Marrow	Lavender top (EDTA)	5mL	18-24°C	Whole Blood (EDTA)	Lavender top (EDTA)	5mL	18-24°C
Specimen Type	Collection Container/Tube	Specimen Volume	Transport										
Bone Marrow	Lavender top (EDTA)	5mL	18-24°C										
Whole Blood (EDTA)	Lavender top (EDTA)	5mL	18-24°C										

4	<p><b>Adenovirus Antigen, Respiratory Specimen</b> Test Code : <b>8730103</b> - Laboratory Services</p> <p>Methodology : <b>IMMUNOASSAY</b> - Performed : <b>Mon-Sat 12:00</b> - Reported : <b>Mon-Sat 18:00</b></p> <table border="1"> <thead> <tr> <th>Specimen Type</th><th>Collection Container/Tube</th><th>Specimen Volume</th><th>Transport</th></tr> </thead> <tbody> <tr> <td>Nasopharyngeal Swab</td><td>Dacron/ Rayon Swab</td><td></td><td>2-8°C</td></tr> <tr> <td>Nasopharyngeal Aspirate</td><td>Biologic Fluid Tube</td><td>2mL</td><td>2-8°C</td></tr> <tr> <td>Transtracheal Aspirate</td><td>Biologic Fluid Tube</td><td>1mL</td><td>2-8°C</td></tr> <tr> <td>Bronchoalveolar Lavage</td><td>Biologic Fluid Tube</td><td>1mL</td><td>2-8°C</td></tr> </tbody> </table> <p>Additional Information</p> <p><b>Nasopharyngeal Swab</b> The swab is placed into a dry, sterile tube or paper packaging with the sampled end facing downward. The top is closed, and it is sent to the laboratory.</p>	Specimen Type	Collection Container/Tube	Specimen Volume	Transport	Nasopharyngeal Swab	Dacron/ Rayon Swab		2-8°C	Nasopharyngeal Aspirate	Biologic Fluid Tube	2mL	2-8°C	Transtracheal Aspirate	Biologic Fluid Tube	1mL	2-8°C	Bronchoalveolar Lavage	Biologic Fluid Tube	1mL	2-8°C
Specimen Type	Collection Container/Tube	Specimen Volume	Transport																		
Nasopharyngeal Swab	Dacron/ Rayon Swab		2-8°C																		
Nasopharyngeal Aspirate	Biologic Fluid Tube	2mL	2-8°C																		
Transtracheal Aspirate	Biologic Fluid Tube	1mL	2-8°C																		
Bronchoalveolar Lavage	Biologic Fluid Tube	1mL	2-8°C																		

## Respiratory Syncytial Virus (RSV) Antigen

Test Code : 8742001 - Laboratory Services

5

Methodology : IMMUNOASSAY - Performed : Mon-Fri 12:00 Sat 12:00 - Reported : Tue-Sat 18:00 Mon 18:00

Specimen Type	Collection Container/Tube	Specimen Volume	Transport
Bronchoalveolar Lavage	Biologic Fluid Tube	1mL	2-8°C
Transtracheal Aspirate	Biologic Fluid Tube	1mL	2-8°C
Nasopharyngeal Swab	Dacron/ Rayon Swab		2-8°C
Nasopharyngeal Aspirate	Biologic Fluid Tube	2mL	2-8°C

### Additional Information

#### Nasopharyngeal Swab

The swab is placed into a dry, sterile tube or paper packaging with the sampled end facing downward. The top is closed, and it is sent to the laboratory.